

**CommandCenter® Secure Gateway**

Centralize access, control and management of thousands of servers connected to multiple Raritan Dominion series and IP-Reach products over IP via a secure, web browser interface.

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
CC-V1-128	CommandCenter Secure Gateway Appliance & License for 128 nodes + 2YR	6,265
CC-V1-256	CommandCenter Secure Gateway Appliance & License for 256 nodes + 2YR	9,895
CC-2xV1-256	Cluster Kit: 2 Appliances & License for 256 nodes + 2YR HW Warranty on	14,295
CC-E1-256	CommandCenter Secure Gateway E1 Appliance & License for 256 nodes +	10,995
CC-2XE1-512	Cluster Kit: 2 CC-SG E1 Appliances & License for 512 nodes + 2YR HW	16,495

CommandCenter Secure Gateway V1 Additional License Packages

CCL-64	License package - 64 node license	2,195
CCL-128	License package - 128 node license	4,065
CCL-256	License package - 256 node license	6,595
CCL-512	License package - 512 node license	9,895
CCL-1024	License package - 1024 node license	15,395
CCL-2048	License Package - 2048 Additional Nodes	21,995
CCL-4096	License Package - 4096 Additional Nodes	27,495
CCL-8192	License Package - 8192 Additional Nodes	32,995

Firmware Upgrade

CC-G1-UPGRADE-TO-3.0.2 CC-G1 upgrade kit		49
--	--	----

Extended Warranty

WARCC-V1-128-2	2 Year extended warranty for CommandCenter Secure Gateway CC-V1-128	1,253
WARCC-V1-256-2	2 Year extended warranty for CommandCenter Secure Gateway CC-V1-256	1,979
WARCC-2xV1-256-2	2 Year extended warranty for CommandCenter Secure Gateway CC-2xV1-	2,859
WARCC-E1-256-2	2 Year extended warranty Platinum for CommandCenter Secure gateway CC-	2,199
WARCC-2xE1-512-2	2 Year extended warranty Platinum for CommandCenter Secure gateway CC-	3,299

Professional Services

SVC-DCC-BASIC	Basic centralized infrastructure management service	3,845
	Basic installation of a Raritan centralized infrastructure management solution. Includes installation and configuration of Raritan's CommandCenter, up to four supported Dominion Series (KX, SX, KSX) and	

Dominion® KX II

Second generation, enterprise-class, secure digital KVM switches with virtual media and dual power that provide BIOS-level access and control of 16 or 32 servers over IP with multi-user remote access.

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
Second Generation KVM-over-IP Switches with Virtual Media and Dual Power		
DKX2-116	16-port KVM-over-IP switch, 1 remote user, 1 local user, virtual media, dual	3,515
DKX2-132	32-port KVM-over-IP switch, 1 remote user, 1 local user, virtual media, dual	4,175
DKX2-216	16-port KVM-over-IP switch, 2 remote users, 1 local user, virtual media,	4,615
DKX2-232	32-port KVM-over-IP switch, 2 remote users, 1 local user, virtual media,	5,495
DKX2-416	16-port KVM-over-IP switch, 4 remote users, 1 local user, virtual media,	7,145
DKX2-432	32-port KVM-over-IP switch, 4 remote users, 1 local user, virtual media,	8,575

Computer Interface Module (D2CIM) - for Dominion KX II switches only

D2CIM-VUSB	USB CIM required for virtual media and absolute mouse synchronization*	149
D2CIM-VUSB-32PAC	Bulk pack of 32 D2CIM-VUSB	4,400
D2CIM-VUSB-64PAC	Bulk pack of 64 D2CIM-VUSB	8,448

* Please note that the D2CIM-VUSB is required for virtual media and absolute mouse synchronization
The target server's Operating System must also support - Windows and Mac OS generally do

Computer Interface Module (DCIM) - for Dominion KX and Dominion KX II switches

DCIM-PS2	CIM for PS/2® keyboard and mouse	109
DCIM-USB	CIM for USB keyboard and mouse	109
DCIM-SUSB	CIM for SUN USB keyboard and mouse	120
DCIM-SUN	CIM for SUN® keyboard and mouse, HD15 video	120
AVGACS	Required for DCIM-SUN for Sun computers with 13W3 video	83

Raritan reserves the right to change prices at any time

Remote Power Strips *Remote power control solutions for Dominion KX see page 5 Dominion PX and Remote Power Control*

*** A D2CIM-PWR must be separately ordered for each remote power control strip connected to the Dominion KX II ***

D2CIM-PWR	CIM for Remote Power Control (RPC) and Dominion PX. Used with Dominion	109
* Do not order the "-PK" remote power control packages. Purchase a D2CIM-PWR adapter for each power strip.		

Computer Interface Modules for Serial Devices

P2CIM-SER	Paragon II/KX/KX II CIM for Serial (ASCII) Device. USB powered or use	164
P2CIM-SER-EU	Paragon II/KX/KX II CIM for Serial (Ascii) Devices for European Market. USB	164
PWR-SER-4	Power Supply to support up to four P2CIM-SER & P2CIM-SER-EU	83
AUATC	ASCII terminal converter - convert RS232 serial port to PS/2 and SUN	325

Extended Warranty

WARDKX2-116/24A-2	2-Yr Extended Warranty for DKX2-116	703
WARDKX2-132/24A-2	2-Yr Extended Warranty for DKX2-132	835
WARDKX2-216/24A-2	2-Yr Extended Warranty for DKX2-216	923
WARDKX2-232/24A-2	2-Yr Extended Warranty for DKX2-232	1,099
WARDKX2-416/24A-2	2-Yr Extended Warranty for DKX2-416	1,429
WARDKX2-432/24A-2	2-Yr Extended Warranty for DKX2-432	1,715

Dominion® KX

Enterprise-class, secure digital KVM switch that provides BIOS-level access and control of 16, 32 or 64 servers over IP with multi-user access.

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
DKX116	16 server ports, 1 remote user, 1 local port for use at the rack	3,164
DKX132	32 server ports, 1 remote user, 1 local port for use at the rack	4,134
DKX216	16 server ports, 2 remote users, 1 local port for use at the rack	4,154
DKX232	32 server ports, 2 remote users, 1 local port for use at the rack	4,946
DKX416	16 server ports, 4 remote users, 1 local port for use at the rack	6,431
DKX432	32 server ports, 4 remote users, 1 local port for use at the rack	7,718
DKX464	64 server ports, 4 remote users, 1 local port for use at the rack, dual power	9,345

Dominion KX Computer Interface Modules (DCIMs)

DCIM-PS2	CIM for PS/2® ports	109
DCIM-USB	CIM for USB ports	109
DCIM-SUSB	CIM for SUN USB ports	120
DCIM-SUN	CIM for SUN® ports, HD15 video	120
P2CIM-SER	Paragon/KX CIM for Serial (Ascii) Device	164
P2CIM-SER-EU	Paragon/KX CIM for Serial (Ascii) Devices - For European Market Only	164
PWR-SER-4	4 Port Power Supply for P2CIM-SER & P2CIM-SER-EU	83
AUATC-EU	ASCII terminal converter - convert RS232 serial port to PS/2 and SUN keyboard and VGA ports, plus Cat5 port	325
P2CIM-PWR	Dominion KX and Paragon II CIM for remote power control	109

Remote Power Control

Remote power control solutions for Dominion KX see page 5 Dominion PX and Remote Power Control

Extended Warranty

WARDKX116/24A-2	2-Yr Extended Warranty for DKX116	633
WARDKX132/24A-2	2-Yr Extended Warranty for DKX132	752
WARDKX216/24A-2	2-Yr Extended Warranty for DKX216	831
WARDKX232/24A-2	2-Yr Extended Warranty for DKX232	990
WARDKX416/24A-2	2-Yr Extended Warranty for DKX416	1,287
WARDKX432/24A-2	2-Yr Extended Warranty for DKX432	1,544
WARDKX464/24A-2	2-Yr Extended Warranty for DKX464	1,869

Dominion KX101

Small form factor, enterprise-class, secure digital KVM switch that provides BIOS-level access and control of 1 server over IP with 1-user access.

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
DKX101	1 server port, 1 remote user, with integrated KVM cable and PS/2 and USB	945
DKX101-12PAC	Twelve DKX101 kits	10,547

Accessories

LVC-101	Local port cable for video access for DKX101	44
---------	--	----

Extended Warranty

WARDKX101/24A-2	2-Yr Extended Warranty for DKX101	189
-----------------	-----------------------------------	-----

eRIC G4

Remote Management Board

Raritan Romania - KVM DOT RO
020173, Str.Turbinei 11
Sector 2, Bucuresti

Tel: +40 31 405 5847
office@raritan.ro
Raritan.ro

Raritan reserves the right to change prices at any time

PART	DESCRIPTION	USD PRICE
eRIC G4	eRIC G4 remote management board	549
PWRPK-US-5mm	Power Pack US	54
PWRPK-UK-5mm	Power Pack UK	54
PWRPK-EU-5mm	Power Pack EU	54
eRIC-VGA-SPLTR	Videosplitter	76
Extended Warranty		
WARERICG4-2	2-Yr Extended Warranty for eRIC G4	109

Dominion SX

Secure console server with SSH and web-based access, monitoring, and control of 4, 8, 16, 32, or 48 serially managed devices over IP with multi-user access.

PART	DESCRIPTION	USD PRICE
DSX4	Single-feed AC power 4-port secure console server with 2 console ports	1,209
DSXB-4-M	Single-feed AC power 4-port secure console server includes internal modem	1,315
DSXB-4-DC*	Single-feed DC powered (-36-72V) 4-port secure console server with 2	1,095
DSXB-4-DCM*	Single-feed DC power (-36-72V) 4-port secure console server includes	1,205
DSX8	Single-feed AC power 8-port secure console server with 2 console ports	1,539
DSXA-8	Dual-feed AC power 8-port secure console server includes internal modem	1,645
DSXB-8-M	Single-feed AC power 8-port secure console server includes internal modem	1,539
DSXB-8-DC*	Single-feed DC power (-36-72V) 8-port secure console server with 2 console	1,711
DSXB-8-DCM*	Single-feed DC power (-36-72V) 8-port secure console server includes	1,865
DSXA-16	Dual-feed AC power 16-port secure console server includes internal modem,	2,261
DSXA-16-DC*	Single-feed DC power (-36-72V) 16-port secure console server includes	2,371
DSXA-16-DL*	Dual-feed AC power, dual-Ethernet, 16-port secure console server, with two	2,371
DSXA-16-DLM*	Dual-feed AC power, dual-Ethernet, 16-port secure console server, with one	2,481
DSXA-32	Dual-feed AC power 32-port secure console server includes internal modem,	2,855
DSXA-32-AC*	Dual-feed AC power 32-port secure console server with 2 console ports and	2,965
DSXA-32-DC*	Dual-feed DC power (-36-72V), 32-port secure console server includes	3,185
DSXA-32-DL*	Dual-feed AC power, dual-Ethernet, 32-port secure console server, with two	3,185
DSXA-32-DLM*	Dual-feed AC power, dual-Ethernet, 32-port secure console server, with one	3,185
DSXA-48	Dual-feed AC power, dual-Ethernet 48-port secure console server includes	4,950
DSXA-48-AC*	Dual-feed AC power, dual-Ethernet 48-port secure console server with 2	4,725
DSXA-48-DC*	Dual-feed DC power (-36-72V), dual-Ethernet 48-port secure console	4,835

** the DC and AC versions of the Dominion SX are not stock-items and will be ordered on request*

Cables/Adapters/Brackets

ASCSD9F	RJ-45(F) TO DB9(F) nulling serial adapter	11
ASCSD9F-DCE	Serial Adapter for DB9 DCE Port to DSX, DKSX	11
ASCSD9M	RJ-45(F) TO DB9(M) nulling serial adapter	11
ASCSD25F	RJ-45(F) TO DB25(F) nulling serial adapter	11
ASCSD25M	RJ-45(F) TO DB25(M) nulling serial adapter	11
CRLVR-15	4,5m serial rollover Cat5 cable - for most Cisco and Sun serial RJ-45 ports	28
CSCSPCS-10	3,0m Cat5e cable to connect Dominion SX to remote power control unit	28
CRLVR-1	0,3m serial rollover Cat5 cable - for most Cisco and Sun serial RJ-45 ports	11
CRLVR-1-5PK	Package of 5 CRLVR-1 (0,3m) serial rollover Cat5 cables - for most Cisco	50
CSCSPCS-1	0,3m Cat5e cable to connect Dominion SX to remote power control unit	11
CSCSPCS-1-5PK	Package of 5 CSCSPCS-1 (0,3m) cables to connect Dominion SX to remote	50

Accessories

RUST-LM304	19" standard rack mount brackets for DSX4, DSX8 and P2-UST	39
------------	--	----

Remote Power Control Remote power control solutions for Dominion KX see page 5 Dominion PX and Remote Power Control

Extended Warranty

WARDSX4/24A-2	2-Yr Extended Warranty for DSX4	242
WARDSXB-4-M/24A-2	2-Yr Extended Warranty for DSXB-4-M	263
WARDSXB-4-DC/24A-2	2-Yr Extended Warranty for DSXB-4-DC	219
WARDSXB-4-DCM/24A-2	2-Yr Extended Warranty for DSXB-4-DCM	241
WARDSX8/24A-2	2-Yr Extended Warranty for DSX8	297
WARDSXB-8-M/24A-2	2-Yr Extended Warranty for DSXB-8-M	307
WARDSXA-8/24A-2	2-Yr Extended Warranty for DSXA-8	329
WARDSXB-8-DC/24A-2	2-Yr Extended Warranty for DSXB-8-DC	343
WARDSXB-8-DCM/24A-2	2-Yr Extended Warranty for DSXB-8-DCM	373
WARDSXA-16/24A-2	2-Yr Extended Warranty for DSXA-16	453
WARDSXA-16-DC/24A-2	2-Yr Extended Warranty for DSXA-16-DC	475
WARDSXA-16-DL/24A-2	2-Yr Extended Warranty for DSXA-16-DL	475
WARDSXA-16-DLM/24A-2	2-Yr Extended Warranty for DSXA-16-DLM	497
WARDSXA-32/24A-2	2-Yr Extended Warranty for DSXA-32	571
WARDSXA-32-AC/24A-2	2-Yr Extended Warranty for DSXA-32-AC	593
WARDSXA-32-DC/24A-2	2-Yr Extended Warranty for DSXA-32-DC	637

Raritan Romania - KVM DOT RO
020173, Str.Turbinei 11
Sector 2, Bucuresti

Tel: +40 31 405 5847
office@raritan.ro
Raritan.ro

Raritan reserves the right to change prices at any time

WARDSXA-32-DL/24A-2	2-Yr Extended Warranty for DSXA-32-DL	637
WARDSXA-32-DLM/24A-2	2-Yr Extended Warranty for DSXA-32-DLM	637
WARDSXA-48/24A-2	2-Yr Extended Warranty for DSXA-48	990
WARDSXA-48-AC/24A-2	2-Yr Extended Warranty for DSXA-48-AC	945
WARDSXA-48-DC/24A-2	2-Yr Extended Warranty for DSXA-48-DC	967

Dominion KSX

Remote KVM, serial console, and power control in a single solution — for complete remote office management.

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
DKSX440	Dominion KSX - 4-port KVM, 4-port serial, power control port, and built-in	3,735
DKSX880	Dominion KSX - 8-port KVM, 8-port serial, power control port, and built-in	4,395

Console Cables

CCPT06	Ultra thin KVM cable 0,6m	40
CCPT20	Ultra thin KVM cable 2m	45
CCPT40	Ultra thin KVM cable 4m	56
CCPT60	Ultra thin KVM cable 6m	73
CCPT90	Ultra thin KVM cable 9m	90

Serial Adapters

ASCSD9F	RJ-45(F) TO DB9(F) nulling serial adapter	11
ASCSD9M	RJ-45(F) TO DB9(M) nulling serial adapter	11
ASCSD25F	RJ-45(F) TO DB25(F) nulling serial adapter	11
ASCSD25M	RJ-45(F) TO DB25(M) nulling serial adapter	11
ASCSD9F-DCE	Serial Adapter for DB9 DCE Port to DSX, DKSX	11
CRLVR-15	4,5m serial rollover Cat5 cable — for most Cisco and Sun serial RJ-45 ports	28
CRLVR-1	1' serial rollover Cat5 adapter cable (RJ45 Male to RJ45 Female) - for most	11
CSCSPCS-1	1' Cat5e adapter cable (RJ45 Male to RJ45 Female) to connect Dominion SX	11
CSCSPCS-10	10' Cat5e cable to connect Dominion SX to Raritan remote power control	28

Remote Power Control Remote power control solutions for Dominion KX see page 5 Dominion PX and Remote Power Control

Extended Warranty

WARDKSX440/24A-2	2-Yr Extended Warranty for DKSX440	747
WARDKSX880/24A-2	2-Yr Extended Warranty for DKSX880	879

Cables to connect serial devices to DKSX

Use industry-standard Category 5e and Category 6 UTP cables to connect Dominion KSX to serial devices

Dominion XRO

Secure, multi-user remote integrated serial and KVM access of target servers and IT devices for small remote locations.

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
DXRO-41	4 serial ports, 1 KVM port, multi-user, 1 local console port, built-in modem	1,870
DXRO-42	4 serial ports, 2 KVM ports, multi-user, 1 local console port, built-in	2,090
DXRO-43	4 serial ports, 3 KVM ports, multi-user, 1 local console port, built-in	2,310
DXRO-81	8 serial ports, 1 KVM port, multi-user, 1 local console port, built-in modem	2,420
DXRO-82	8 serial ports, 2 KVM ports, multi-user, 1 local console port, built-in	2,640
DXRO-83	8 serial ports, 3 KVM ports, multi-user, 1 local console port, built-in	2,860

Cables/Adapters/Brackets

ASCSD9F	RJ-45(F) TO DB9(F) serial adapter	11
ASCSD9M	RJ-45(F) TO DB9(M) serial adapter	11
ASCSD25F	RJ-45(F) TO DB25(F) serial adapter	11
ASCSD25M	RJ-45(F) TO DB25(M) serial adapter	11
ASCSD9F-DCE	Serial Adapter for DB9 DCE Port to DSX, DKSX	11
CRLVR-15	15' serial rollover Cat5 cable -for most Cisco and Sun serial RJ-45 ports	28
CRLVR-1	1' serial rollover Cat5 adapter cable (RJ45 Male to RJ45 Female) - for most	11
CSCSPCS-1	1' Cat5e adapter cable (RJ45 Male to RJ45 Female) to connect Dominion SX	11
CSCSPCS-10	10' Cat5e cable to connect Dominion SX to Raritan remote power control	28
LVC-101	Local port cable for video access for DKX101	44
RUST-LM304	19" standard rack mount brackets for all DXRO models	39

Extended Warranty

WARDX4/24A-2	2-Yr Extended Warranty for DSX4	242
WARDX8/24A-2	2-Yr Extended Warranty for DSX8	297
WARDKX101/24A-2	2-Yr Extended Warranty for DKX101	189

Dominion PX

Raritan reserves the right to change prices at any time
 Dominion PX, the Raritan family of intelligent power distribution units (PDUs), supports secure remote

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
Be sure to order the appropriate computer interface module. See "Computer Interface Modules" below.		
DPCR8A-16	1U standard rack mount power distribution unit with 8 outlets, 230 Volts AC,	714
DPCS12A-16	Zero U standard rack mount power distribution unit with 12 outlets, 230	934
DPCS20A-16	Zero U standard rack mount power distribution unit with 20 outlets, 230	1264
DPCS20A-32	Zero U standard rack mount power distribution unit with 20 outlets, 230	1374

120 Volts AC and 208 Volts AC units

DPCR8-15	1U standard rack mount power distribution unit with 8 outlets, 120 Volts	714
DPCR8A-20L6	1U standard rack mount power distribution unit with 8 outlets, 208 Volts	714
DPCS12-20	Zero U standard rack mount power distribution unit with 12 outlets, 120	934
DPCS20-20	Zero U standard rack mount power distribution unit with 20 outlets, 120	1264
DPCS20-20L	Zero U standard rack mount power distribution unit with 20 outlets, 120	1264
DPCS20-30L	Zero U standard rack mount power distribution unit with 20 outlets, 120	1374
DPCS20A-20L6	Zero U standard rack mount power distribution unit with 20 outlets, 208	1264
DPCS20A-30L6	Zero U standard rack mount power distribution unit with 20 outlets, 208	1374
DPCR20-20	2U standard rack mount power distribution unit with 20 outlets, 120 Volts	1044
DPCR20-30L	2U standard rack mount power distribution unit with 20 outlets, 120 Volts	1154
230 Volts AC unit		
DPCR20A-32	2U standard rack mount power distribution unit with 20 outlets, 230 Volts	1154

Computer Interface Modules

Do not order the "-PK" remote power control packages. Purchase a D2CIM-PWR adapter for each power strip.

D2CIM-PWR	CIM for Dominion PX used with Dominion KX II switches only.	109
P2CIM-PWR	CIM for Dominion PX used with Dominion KX (not Dominion KX II) and	109

Cables

CSCSPCS-1	1' Cat5e adapter (RJ-45 Male to RJ-45 Female) to connect Dominion SX to	11
CSCSPCS-1-5PK	Package of 5 CSCSPCS-1 1' Cat5e adapters (RJ-45 Male to RJ-45 Female) to	50
CSCSPCS-10	10' Cat5e cable (RJ-45 Male to RJ-45 Male) to connect Dominion SX to	28

Extended Warranty

WARDPCR8A-16-2	2-Yr Extended Warranty for DPCR8A-16	143
WARDPCS12A-16-2	2-Yr Extended Warranty for DPCS12A-16	187
WARDPCS20A-16-2	2-Yr Extended Warranty for DPCS20A-16	253
WARDPCS20A-32-2	2-Yr Extended Warranty for DPCS20A-32	275
WARDPCR8-15-2	2-Yr Extended Warranty for DPCR8-15	143
WARDPCR8A-20L6-2	2-Yr Extended Warranty for DPCR8A-20L6	143
WARDPCS12-20-2	2-Yr Extended Warranty for DPCS12-20	187
WARDPCS20-20-2	2-Yr Extended Warranty for DPCS20-20	253
WARDPCS20-20L-2	2-Yr Extended Warranty for DPCS20-20L	253
WARDPCS20-30L-2	2-Yr Extended Warranty for DPCS20-30L	275
WARDPCS20A-20L6-2	2-Yr Extended Warranty for DPCS20A-20L6	253
WARDPCS20A-30L6-2	2-Yr Extended Warranty for DPCS20A-30L6	275
WARDPCR20-20-2	2-Yr Extended Warranty for DPCR20-20	209
WARDPCR20-30L-2	2-Yr Extended Warranty for DPCR20-30L	231
WARDPCR20A-32-2	2-Yr Extended Warranty for DPCR20A-32	231

Remote Power Control

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
Remote power control solutions for Dominion KX II, SX, KXS, IP-Reach		
Purchase a D2CIM-PWR adapter for each powerstrip when connecting to Dominion KX II		
PCR8A-15	8 outlet remote power control unit: 230V, 10A, IEC320 C14 P, IEC320 C13 R	572
PCR8A-20L6	8 outlet remote power control unit: 230V, 20A, NEMA L6-20 P, IEC320 C13	572
PCS20A-20	20 outlet remote power control unit: 230V, 16A, IEC320 C20 P, IEC320 C13 I	1,012
PCS20A-30L6	20 outlet remote power control unit: , 230V, 30A, NEMA L6-30 P, IEC320	1,122
Remote Power Control not for Dominion KX II, please see above		
Remote power control solutions for Dominion KX and Paragon II—Includes power CIM (P2CIM-PWR)		
PCR8A-15-PK	8 outlet remote power control unit: 230V, 10A, IEC320 C14 P, IEC320 C13 R	765
PCR8A-20L6-PK	8 outlet remote power control unit: 230V, 20A, NEMA L6-20 P, IEC320 C13	765
PCS20A-20-PK	20 outlet remote power control unit: 230V, 16A, IEC320 C20 P, IEC320 C13 I	1,205
PCS20A-30L6-PK	20 outlet remote power control unit: , 230V, 30A, NEMA L6-30 P, IEC320	1,315

(See also part numbers under Paragon II, Dominion KX, DSX and DKXS.)
 Raritan Romania - KVM DOT RO Tel: +40 31 405 5847
 020173, Str.Turbinei 11 office@raritan.ro
 Sector 2, Bucuresti Raritan.ro

Adapters

ASCSDB9F	RJ-45 (F) to DB9 (F) nulling serial adapter	11
ASCSDB25M	RJ-45 (F) to DB25 (M) nulling serial adapter	11
AUATC-EU	connects power control unit to KVM switch	325

Cables

CSCSPCS-10	3m Cat5e cable to connect Dominion SX to remote power control unit	28
CARUPCS-10	3m Cat5e cable to connect Dominion x16 and x32 to remote power control	28

Accessory

P2CIM-PWR	Dominion KX and Paragon II CIM for remote power control	109
-----------	---	-----

Paragon II

Control 16, 32, 42, or 64 servers (expandable to 10,000) from 2, 4, 8, or 16 user consoles (expandable to 64) with Category 5 UTP cable up to 300 meters.

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
Main Switching Unit		
P2-UMT1664M	P2 Cat5 Matrix Switch — 16-user, 64-port, expansion slot (for memory	12,645
P2-UMT832M	P2 Cat5 Matrix Switch — 8-user, 32-port, expansion slot (for memory card),	6,600
P2-UMT442	P2 Cat5 Matrix Switch — 4-user, 42-port, expansion slot (for memory card),	4,950
P2-UMT242	P2 Cat5 Matrix Switch — 2-user, 42-port, network port	3,300
Stacking Units		
P2-UMT1664S	P2 Cat5 Matrix Stacking Switch — 0-user, 64 expansion ports for stacking	12,095
P2-UMT832S	P2 Cat5 Matrix Stacking Switch — 0-user, 32 expansion ports for stacking	6,045
Analog User Station <i>Select one for each user console connected to a Paragon switch</i>		
P2-EUST	Paragon II Enhanced User Station - Analog access point providing enhanced	1,095
Digital User Station <i>Select one for each user console connected to a Paragon switch</i>		
P2-USTIP1	Paragon II IP enabled user station, 1 user	2,745
P2-USTIP2	Paragon II IP enabled user station, 2 user	4,395

Computer Interface Module (CIM)

<i>Select one for each server/device connected to a Paragon switch</i>		
P2CIM-APS2	Paragon II CIM for PS/2 that supports automatic skew compensation	193
P2CIM-APS2-32PAC	Bulk pack of 32 P2CIM-APS2 that supports automatic skew compensation	5,456
P2CIM-APS2-64PAC	Bulk pack of 64 P2CIM-APS2 that supports automatic skew compensation	10,208
P2CIM-ASUN	Paragon II CIM for SUN 8-pin keyboard/mouse and VGA HD15 video that	193
P2CIM-APS2DUAL	Paragon II CIM for PS/2 Dual Port allows one PC to expand to double	248
P2CIM-AUSB	Paragon II CIM for USB ports supports PC, MAC, and SUN USB	165
P2CIM-APS2-B	Paragon II PS/2 CIM for use with IBM BladeCenter; support automatic skew	248
P2CIM-AUSB-B	Paragon II USB CIM for use with IBM BladeCenter; supports automatic skew	215
P2CIM-SER	Paragon/KX CIM for Serial (Ascii) Device	164
P2CIM-SER-EU	Paragon/KX CIM for Serial (Ascii) Devices - For European Market Only	164
PWR-SER-4	4 Port Power Supply for P2CIM-SER & P2CIM-SER-EU	83
P2CIM-PWR	Paragon II and Dominion KX CIM for remote power control	109

Accessories

P2-HUBPAC	Connect eight Paragon II CIMs. Expand to 64 users, 1U with rack mount	1,980
P2-MEMCARD	Paragon II NVRAM card for 10,000 ports	825
RUST-LM304	19" standard rack mount brackets for DSX4, DSX8 and P2-UST	39

Paragon II System Controller

P2-SC	Paragon II System Controller that enables integration of ParagonII and	6,595
-------	--	-------

Basic Paragon and CommandCenter Integration (PCCI) service

SVC-PCC-BASIC	An RPS specialist will implement the PCCI solution providing installation, configuration, engineering, and training services. This offer includes a total of up to seven supported Paragon II Series (Qty (1) P2-SC, Qty (2) P2-UMT,	3,845
---------------	--	-------

Computer Interface Module (Z-CIM)

<i>P2ZCIM-PS2, P2ZCIM-SUN, P2ZCIM-USB requires one TER-ZCIM terminator per chain</i>		
P2ZCIM-PS2	Paragon II ZCIM for PS2	198
P2ZCIM-PS2L	Paragon II ZCIM for PS2L - 0,9m cable	198
P2ZCIM-PS2 - 10PAC	Bulk pack of 10 P2ZCIM-PS2	1,760
P2ZCIM-PS2L - 10PAC	Bulk pack of 10 P2ZCIM-PS2L - 0,9m cable	1,760
P2ZCIM-PS2 - 20PAC	Bulk pack of 20 P2ZCIM-PS2	3,300
P2ZCIM-PS2L - 20PAC	Bulk pack of 20 P2ZCIM-PS2L - 0,9m cable	3,300
P2ZCIM-PS2 - 40PAC	Bulk pack of 40 P2ZCIM-PS2	6,160
P2ZCIM-PS2L - 40PAC	Bulk pack of 40 P2ZCIM-PS2L - 0,9m cable	6,160

Raritan Romania - KVM DOT RO

Tel: +40 31 405 5847

020173, Str.Turbinei 11

office@raritan.ro

Sector 2, Bucuresti

Raritan.ro

Raritan reserves the right to change prices at any time

P2ZCIM-SUN	Paragon II ZCIM for SUN	198
P2ZCIM-SUNL	Paragon II ZCIM for SUNL - 0,9m cable	198
P2ZCIM-SUN - 10PAC	Bulk pack of 10 P2ZCIM-SUN	1,760
P2ZCIM-SUNL - 10PAC	Bulk pack of 10 P2ZCIM-SUNL - 0,9m cable	1,760
P2ZCIM-USB	Paragon II ZCIM for USB	198
P2ZCIM-USBL	Paragon II ZCIM for USBL – 0,9m cable	198
P2ZCIM-USB-10PAC	Bulk pack of 10 P2ZCIM-USB	1,760
P2ZCIM-USBL-10PAC	Bulk pack of 10 P2ZCIM-USBL – 0,9m cable	1,760
P2ZCIM-USB-20PAC	Bulk pack of 20 P2ZCIM-USB	3,300
P2ZCIM-USBL-20PAC	Bulk pack of 20 P2ZCIM-USBL – 0,9m cable	3,300
P2ZCIM-USB-40PAC	Bulk pack of 40 P2ZCIM-USB	6,160
P2ZCIM-USBL-40PAC	Bulk pack of 40 P2ZCIM-USBL – 0,9m cable	6,160
TER-ZCIM	RJ-45 terminator for P2ZCIM (one is required per P2ZCIM chain)	6

Remote Power Control *Remote power control solutions for Dominion KX see page 5 Dominion PX and Remote Power Control*

Extended Warranty

WARP2-UMT1664M/24A-2	2-Yr Extended Warranty for P2-UMT1664M	2,529
WARP2-UMT1664S/24A-2	2-Yr Extended Warranty for P2-UMT1664S	2,419
WARP2-UMT832M/24A-2	2-Yr Extended Warranty for P2-UMT832M	1,320
WARP2-UMT832S/24A-2	2-Yr Extended Warranty for P2-UMT832S	1,209
WARP2-UMT442/24A-2	2-Yr Extended Warranty for P2-UMT442	990
WARP2-UMT242/24A-2	2-Yr Extended Warranty for P2-UMT242	660
WARP2-UST/24A-2	2-Yr Extended Warranty for P2-UST	209
WARP2-P2-EUST/24A-2	2-Yr Extended Warranty for P2-EUST	285
WARP2-USTIP1/24A-2	2-Yr Extended Warranty for P2-USTIP1	549
WARP2-USTIP2/24A-2	2-Yr Extended Warranty for P2-USTIP2	879
WARP2-HUBPAC/24A-2	2-Yr Extended Warranty for P2-HUBPAC	396
WARP2-SC/24A-2	2-Yr Extended Warranty for P2-SC	1,319

Cables

Use industry-standard Category 5e and Category 6 UTP cables to connect User Stations and Computer Interface Modules to UMT and to cascade UMT's. SCSI cables are included with P2-UMT832S (1x) and P2-UMT 1664S (2x) for stacking

Paragon I

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
Computer Interface Module (CIM)		
UKVMC	Connect one PC—with KVM ports for local access	303
UKVMPPD-x330	Connect to rack of IBM x330 1U servers	193
USKVMC	Connect one Sun computer—and KVM ports for local access	303
AUATC-EU	ASCII terminal converter - convert RS232 serial port to PS/2 and SUN	325
AUPUSBC	Transmitter - connect one USB computer (USB cable included). RJ-45 jack keyboard and VGA ports, plus Cat5 port	303

Accessories

UKVMSPD	Connect your local personal computer for access from one User Station (UST)	198
CHD15EX01	0,15m Video extension cable (for "DirectConnect" CIMs/Z-CIMs)	11
TER-ZCIM	RJ-45 terminator for P2ZCIM (one is required per P2ZCIM chain)	6

Cables

Use industry-standard Category 5e and Category 6 UTP cables to connect user stations and CIMs to UMT and to cascade UMT's

Z-Series™ Z4200U

Chain and control up to 42 servers with Category 5 UTP cable up to 300 meters.

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
Z4200U-KIT2/EU	Starter Kit includes 1x USTS, 3x UKVMSPD, 1x TER-RJ45, 1x power supply,	930
USTS	Connect one user console (keyboard, monitor, mouse) with Category 5 UTP	380
UKVMSC	Connect one PC to Z4200U chain—with KVM ports for local access	303
UKVMSPD	Connect one PC to Z4200U chain (DirectConnect Z-CIM, requires one TER-	198
UKVMSPD-10PAC	Bulk pack of 10 UKVMSPD (DirectConnect Z-CIM)	1,760
UKVMSPD-20PAC	Bulk pack of 20 UKVMSPD (DirectConnect Z-CIM)	3,300
UKVMSPD-40PAC	Bulk pack of 40 UKVMSPD (DirectConnect Z-CIM)	6,160
TER-RJ45	RJ45 terminator (one required per chain of Z-CIMs)	5
CHD15EX01	15 cm Video extension cable (for "DirectConnect" CIM/Z-CIMs)	11

Raritan reserves the right to change prices at any time

Cables—Use industry-standard Category 5e and Category 6 UTP cables to connect User Station/KVM Drawer and Computer Interface Modules.

MasterConsole™ IP

Control 8, 16 Servers; 1 Local User; up to 15 shared Remote Users over IP

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
MCIP18	MasterConsole IP18, 1-User, 8-port, KVM-over-IP	1,684
MCIP116	MasterConsole IP116, 1-User, 16-port, KVM-over-IP	2,338
MCIP18-PAC	MasterConsole IP18, 1-User, 8-port, KVM-over-IP [Bundle includes (8 qty)]	1,777
MCIP116-PAC	MasterConsole IP116, 1-User, 16-port, KVM-over-IP [Bundle includes (8	2,525
CMCIP20	2M (6') MasterConsole IP KVM Cable	44
CMCIP40	4M (12') MasterConsole IP KVM Cable	55
CMCIP90	9M (30') MasterConsole IP KVM Cable	88

Extended Warranty

WARMCIP18/24A-2	2-Yr Extended Warranty for MasterConsole IP18, 1-User, 8-port, KVM over	385
WARMCIP116/24A-2	2-Yr Extended Warranty for MasterConsole IP116, 1-User, 16-port, KVM	550

MasterConsole MXU2

Control 8, 16 computers, expandable to 128 from 2 user consoles.

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
MXU28	2-User (one local KVM port/one Cat5 extension port), 8-port model	1,205
MXU216	2-User (one local KVM port/one Cat5 extension port), 16-port model	1,865
URKVMG	Receiver - RJ45 jack and PC KVM ports	350
MXU28G	Combination kit (MXU28 and URKVMG)	1,425
MXU216G	Combination kit (MXU216 and URKVMG)	2,085

PC Cables

Connect each PS/2 or AT computer to MXU2

CCPT06	Ultra thin KVM cable 0,6m	40
CCPT20	Ultra thin KVM cable 2m	45
CCPT40	Ultra thin KVM cable 4m	56
CCPT60	Ultra thin KVM cable 6m	73
CCPT90	Ultra thin KVM cable 9m	90
APSAT	AT keyboard/serial mouse adapter for above cables	5

Accessories

RMXU2-1U	19" rack mount brackets for MXU28 (1U)	55
RMXU2-2U	19" rack mount brackets for MXU216 (2U)	66
RCMA-1U	19" rack mount bracket kit for MXU28 with cable management assembly	83
RCMA-2U	19" rack mount bracket kit for MXU216 with cable management assembly	94

Extended Warranty

WARMXU28/24A-2	2-Yr Extended Warranty for MXU28	241
WARMXU216/24A-2	2-Yr Extended Warranty for MXU216	373

Extension Products

See Remote Access and Control Products to extend computers or user consoles; extend/cascade units and control from anywhere in the world over TCP/IP.

Converters, Adapters, Emulators, Rack Brackets

See Converters, Adapters, Emulators, Rack Brackets section to connect Sun, Mac, USB computers, serial devices; sync on green video.

MasterConsole II

Control 4, 8, 16 computers, expandable to 256, from one keyboard, monitor, and mouse.

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
MCC4	4-port model	695
MCC8	8-port model	895
MCC16	16-port model	1,295

Refer to IP-Reach section for IP access.

PC Cables

Connect each PS/2 or AT computer to MasterConsole II

CCPT06	Ultra thin KVM cable 0,6m	40
CCPT20	Ultra thin KVM cable 2m	45
CCPT40	Ultra thin KVM cable 4m	56
CCPT60	Ultra thin KVM cable 6m	73
CCPT90	Ultra thin KVM cable 9m	90
APSAT	AT keyboard/serial mouse adapter for above cables	5

Raritan Romania - KVM DOT RO

Tel: +40 31 405 5847

020173, Str.Turbinei 11

office@raritan.ro

Sector 2, Bucuresti

Raritan.ro

Raritan reserves the right to change prices at any time

User Console Extension Cables

Extend each user console from MasterConsole II

PCE60	Cable extension kit 6m	105
PCE80	Cable extension kit 8m	121
PCE110	Cable extension kit 11m	138

Accessories

RMCS4	19" rack mount brackets for MCC4 (1U)	50
RMCS8	19" rack mount brackets for MCC8 (1U)	61
RMCS16	19" rack mount brackets for MCC16 (2U)	72

Extended Warranty

WARMCC4/24A-2	2-Yr Extended Warranty for MCC4	139
WARMCC8/24A-2	2-Yr Extended Warranty for MCC8	179
WARMCC16/24A-2	2-Yr Extended Warranty for MCC16	259

Extension Products — See Remote Access and Control Products to extend computers or user consoles; extend/cascade and control from anywhere in the world over TCP/IP.

Converters, Adapters, Emulators, Rack Brackets - See Converters, Adapters, Emulators, Rack Brackets to connect Sun, Mac, USB computers, serial devices, sync on green video.

MasterConsole™ Z

Daisy chain and control up to 64 multiplatform (PS2/USB/SUN) servers with Category 5 UTP cables up to 210 meters.

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
MZUST	MasterConsole Z User Station	495
MZCIM-PS2	MZCIM for P/S2	138
MZCIM-USB	MZCIM for USB	138
MZCIM-SUN	MZCIM for SUN	149
MZKIT6-PS2	MZUST + 6 MZCIM-PS2	1,188
MZKIT12-PS2	MZUST + 12 MZCIM-PS2	1,931
MZKIT24-PS2	MZUST + 24 MZCIM-PS2	3,416
MZKIT6-USB	MZUST + 6 MZCIM-USB	1,188
MZKIT12-USB	MZUST + 12 MZCIM-USB	1,931
MZKIT24-USB	MZUST + 24 MZCIM-USB	3,416
MZKIT6-SUN	MZUST + 6 MZCIM-SUN	1,249
MZKIT12-SUN	MZUST + 12 MZCIM-SUN	2,052
MZCIM-PS2-10PAC	10 MZCIM-PS2	1,238
MZCIM-PS2-20PAC	20 MZCIM-PS2	2,393
MZCIM-PS2-40PAC	40 MZCIM-PS2	4,620
MZCIM-USB-10PAC	10 MZCIM-USB	1,238
MZCIM-USB-20PAC	20 MZCIM-USB	2,393
MZCIM-USB-40PAC	40 MZCIM-USB	4,620
MZCIM-SUN-10PAC	10 MZCIM-SUN	1,337

Cables—Use industry-standard Category 5e and Category 6 UTP cables to connect User Station/KVM Drawer and Computer Interface Modules.

CompuSwitch®

Control 2, 4, 8 computers, expandable to 64, from one keyboard, monitor, mouse.

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
CS2	2–port desktop model	320
CS4	4–port desktop model	395
CS8	8–port desktop model	595
CS4R	4–port rack mount model	450
CS8R	8–port rack mount model	650

PC Cables

Connect each PS/2 or AT computer to CompuSwitch

CCPT06	Ultra thin KVM cable 0,6m	40
CCPT20	Ultra thin KVM cable 2m	45
CCPT40	Ultra thin KVM cable 4m	56
CCPT60	Ultra thin KVM cable 6m	73
CCPT90	Ultra thin KVM cable 9m	90

Raritan Romania - KVM DOT RO
020173, Str.Turbinei 11
Sector 2, Bucuresti

Tel: +40 31 405 5847
office@raritan.ro
Raritan.ro

APSAT	AT keyboard/serial mouse adapter for above cables	5
-------	---	---

User Console Extension Cables

Extend each user console from CompuSwitch

PCE60	Cable extension kit 6m	105
PCE80	Cable extension kit 8m	121
PCE110	Cable extension kit 11m	138

Accessories

RCS24	19" rack mount brackets for CS2/CS4 (1U)	50
RCS8	19" rack mount brackets for CS8 (1U)	61
A10D2-06MT	6V/1.4A DC Adapter (required when cascading CompuSwitch, using	25
A10D2-06MB	6V/1.4A DC Adapter (required when cascading CompuSwitch, using	25

Extended Warranty

WARCS2/24A-2	2-Yr Extended Warranty for CS2	64
WARCS4/24A-2	2-Yr Extended Warranty for CS4/CS4R	79
WARCS8/24A-2	2-Yr Extended Warranty for CS8/CS8R	90

Extension Products - See Remote Access and Control Products to extend computers or user consoles; extend/cascade and control from anywhere in the world over TCP/IP.

SwitchMan®

Control 2, 4 PCs from one keyboard, monitor, mouse.

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
SW2-CP	SwitchMan CablePlus: 2-port integrated PS/2 cable model	54
SW2	SwitchMan 2-port PS/2 model	119
SW2-2C	SwitchMan 2-port PS/2 model with 2 CSWT18 cables	175
SW2-USB-COMBO/EU	2-Channel Model, Console: USB, Targets: USB & PS2, USB 2.0 Hub, audio,	252
SW4	SwitchMan 4-port PS/2 model	159
SW-4C	SwitchMan 4-port PS/2 model with 2 CSWT18 cables	219
SW2-USB/EU	SwitchMan USB (2.0) 2-port KVM switch with 2 CSWUSB18 cables	179
SW4-USB/EU	SwitchMan USB (2.0) 4-port KVM switch with 2 CSWUSB18 cables	219
SW4-USB-COMBO /EU	4-Channel Model, Console: USB, Targets: USB & PS2, USB 2.0 Hub, audio,	296

PC Cables*

Connect each PC to SwitchMan

CSWT18	1.8m premium quality cable for one PS/2 computer	40
CSWT30	3m premium quality cable for one PS/2 computer	45
CSWUSB18	1.8m premium quality cable for one USB computer	28
CSWUSB30	3m premium quality cable for one USB computer	33
CSWUSBFL	Flash upgrade cable for SW2-USB and SW4-USB	20
APSAT	AT keyboard/serial mouse adapter for above cables	5
CSWUSBPS218	6' (1.8M) USB/PS2/Audio cable for SwitchMan USB COMBO	28
CSWUSBPS230	10' (3M) USB/PS2/Audio cable for SwitchMan USB COMBO	33

*Use industry-standard KVM cables or order Raritan cables (above).

Converters, Adapters, Emulators, Rack Brackets

See Converters, Adapters, Emulators, Rack Brackets to USB computers/notebooks, AT keyboard, serial mouse.

Cat5 Reach™/PC

UTP cable to extend PS/2 computer up to 300m for remote access with additional port for local access.

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
UPCED/EU	Locate a remote PC user console (keyboard, monitor, mouse) up to 300m	600
UPCEDE/EU	Cascade MasterConsole MX4 units up to 300m apart	638
UPCEDF/EU	Locate a PC user console (keyboard, monitor, mouse) up to 300m from	594
UPCEDU/EU	Locate a PC up to 300m from CompuSwitch, MCCII, MasterConsole MX4, to	644
UKVM	Transmitter - RJ45 jack and KVM ports for local PC access (included with	260
URKVMG	Receiver - RJ45 jack and PC KVM ports	350

Cat5 Reach™/Sun

UTP cable to extend SUN computer up to 300m for remote access with additional port for local access.

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
USKVM	Transmitter - RJ45 jack and KVM ports for local Sun access	260
URSKVM	Receiver - RJ45 jack and Sun KVM ports	350

Cat5 Reach™/USB

UTP cable to extend USB computer up to 300m for remote access with additional port for local access.

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
Raritan Romania - KVM DOT RO 020173, Str.Turbinei 11 Sector 2, Bucuresti	Tel: +40 31 405 5847 office@raritan.ro Raritan.ro	

Raritan reserves the right to change prices at any time

USBED	Cat5 Reach to locate remote user console (PS/2 keyboard, PS/2 mouse,	600
USBEDU	Cat5 Reach to locate a remote USB computer up to 300m from	644
URKVMG	Receiver - RJ45 jack and PC KVM ports	350

Note: All Cat5 Reach are kits which include transmitter, receiver, and device connecting cables;
Category 5 UTP cable not included.

Cables

Use industry-standard Category 5e and Category 6 UTP cables to connect transmitters and receivers.

IP-Reach™

KVM access over IP for servers connected to any KVM switch.

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
IPR-TR364	IP-Reach TR364 - 4-port model, Dual NICs, redundant power, built-in	7,695

For use with Paragon II System Controller

IPR-TR364-P2SC	IP-Reach TR364 only for Paragon II System Controller - 4 port Model,	7,695
----------------	--	-------

Extended Warranty

WARIPR-TR364/24A-2	2-Yr Extended Warranty for IPR-TR364	1,539
--------------------	--------------------------------------	-------

*All IP-Reach models include remote control software, connection cables, and rack mount brackets.

Peppercon Products

Raritan's Peppercon Branded products provide Small and Medium sized businesses with a high quality and cost-effective solution for remote management of servers and network infrastructure.

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
Remote Management Boards		
eRIC-EXPRESS	eRIC express	773
eRIC-VGA-SPLTR	eRIC express Video Splitter	76
eRIC-PS2-EXTPK	eRIC express PS/2 Extender	47
Remote access and control over IP		
LARA-ECO	LARA™ eco	893

Cables

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
PC Cables (use with MXU2, MC11, CS, CIMPAC8)		
Connect each PS/2 or AT computer to MasterConsole MX4, MasterConsole MXU2, MasterConsole II, CompuSwitch, CIMPAC8		
CCPT06	Ultra thin KVM cable 0,6m	40
CCPT20	Ultra thin KVM cable 2m	45
CCPT40	Ultra thin KVM cable 4m	56
CCPT60	Ultra thin KVM cable 6m	73
CCPT90	Ultra thin KVM cable 9m	90
APSAT	AT keyboard/serial mouse adapter for above cables	5

User Console Extension Cables — Extend each user console from MasterConsole II, CompuSwitch

PCE60	Cable extension kit 6m	105
PCE80	Cable extension kit 8m	121
PCE110	Cable extension kit 11m	138

PC Cables* — Connect each PC to SwitchMan

CSWT18	1,8m premium ultra-thin KVM cable for PS/2	40
CSWT30	3m premium ultra-thin KVM cable for PS/2	45
APSAT	AT keyboard/serial mouse adapter for above cables	5
CSWUSB18	1.8m USB/Audio cable for USB	28
CSWUSB30	3m USB/Audio cable of USB	33
CSWUSBFL	Flash upgrade cable for SW2-USB and SW4-USB	20

*Use industry-standard KVM cables or order Raritan cables (above).

Converters, Adapters, Emulators, Rack Brackets

<u>PART</u>	<u>DESCRIPTION</u>	<u>USD PRICE</u>
APKME	Guardian for PS/2—Emulate PS/2 keyboard and PS/2 mouse; connect to	94
APSUSB	Converter for USB—Convert USB port to PS/2 keyboard and PS/2 mouse	88
APSAT	Adapter Kit for AT keyboard/serial mouse to PS/2 keyboard and PS/2 mouse	5
APSSUN	Converter for Sun—Emulate Sun keyboard and video; convert to PS/2	165
APKMSUN	Converter for Sun—Emulate Sun keyboard; convert to PS/2 keyboard	138

Raritan Romania - KVM DOT RO
020173, Str.Turbinei 11
Sector 2, Bucuresti

Tel: +40 31 405 5847
office@raritan.ro
Raritan.ro

Raritan reserves the right to change prices at any time

AUATC-EU	ASCII Terminal Converter—Convert RS-232 serial port to PS/2 and Sun keyboard and VGA ports, plus Cat5 port. Use with SX Release 2.2 or higher	325
AUKME	Guardian for PS/2 for Alphas running UNIX—Emulate PS/2 keyboard and	94
AVGACS	Convert Sun 13W3 with Composite sync to HD15 with H & V sync	83
1395	Sun video 13W3(M) to VGA HD15(F) multi-sync monitor converter	39
1396C	VGA H&V Sync to Sun Composite Sync Converter - VGA HD15(M) to 13W3(F)	39
RMCS4	19" rack mount brackets for MCC4 (1U)	50
RMCS8	19" rack mount brackets for MCC8 (1U)	61
RMCS16	19" rack mount brackets for MCC16 (2U)	72
RMXU2-1U	19" rack mount brackets for MXU28 (1U)	55
RMXU2-2U	19" rack mount brackets for MXU216 (2U)	66
RCMA-1U	19" rack mount bracket kit for MXU28 with cable management assembly	83
RCMA-2U	19" rack mount bracket kit for MXU216 with cable management assembly	94
RCS24	19" rack mount brackets for CS2/CS4 (1U)	50
RCS8	19" rack mount brackets for CS8 (1U)	61
RUMT-1U-LM304	19" rack mount bracket	95
RUST-1U	19" rack mount brackets for UST1 (1U)	39
A10D2-06MT	6V/1.4A DC Adapter, EU version	25
A10D2-06MB	6V/1.4A DC Adapter, UK version	25
A15D2-06MI	6V/2.0A DC Adapter, IEC320 C13 version	25
CHD15EX01	0,15m Video extension cable (for "DirectConnect" CIMs/Z-CIMs)	11

Cables - Use industry-standard Category 5e and Category 6 UTP cables to connect Dominion to serial devices.

Raritan Professional Services

PART	DESCRIPTION	USD PRICE
SVC-INSTALL-ID	One-day installation support, 8 hours (Price does not include T&E)	1,320
SVC-TRAINING-ID	One-day training, 8 hours up to 5 trainees (Price does not include T&E)	1,320
CommandCenter Professional Services		
SVC-DCC-BASIC	Basic centralized infrastructure management service Basic installation of a Raritan centralized infrastructure management solution. Includes installation and configuration of Raritan's CommandCenter, up to four supported Dominion Series (KX, SX, KSX) and	3,845
SVC-PCC-BASIC	Basic Paragon and CommandCenter Integration (PCCI) service An RPS specialist will implement the PCCI solution providing installation, configuration, engineering, and training services. This offer includes a total of up to seven supported Paragon II Series (Qty (1) P2-SC, Qty (2) P2-UMT,	3,845

Contact (Romanian Authorized Distributor)

For more information, please contact :

Raritan Romanian Office

Mr. Santiago Tiprikan (*Representative for Romania / Raritan Certificated Solution Architect*)

Santiago.Tiprikan@Raritan.RO or Santiago.Tiprikan@Kvm.ro

Phone: + 4031 405 5847

GSM: + 4072 221 8555

<http://www.raritan.ro>

